

No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 1 of 6

NINGBO ROXTONE AUDIO TECHNOLOGY CO.,LTD **CUSTOMER NAME:**

ADDRESS: YUSHANTOU VILLAGE, DONGQIAO TOWN, HAISHUDISTRICT,

NINGBO, CHINA

HEAVY DUTY WATERPROOF 3P XLR ADAPTER Sample Name

Product Specification RX3FWP RX3MWP

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : NBHL2202001740SD

Date of Receipt : Feb 17, 2022 **Testing Start Date** : Feb 17, 2022 **Testing End Date** Feb 25, 2022

Test result(s) For further details, please refer to the following page(s)

(Unless otherwise stated the results shown in this test report refer only to

the sample(s) tested)

Signed for SGS-CSTC Standards Technical Services Co., Ltd Ningbo Branch

Lorin Yan

Authorized signatory





No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 2 of 6

Summary of Results:


No.	Test Item	Test Method	Result	Conclusion
1	IP6KX	ISO 20653:2013	See result	Pass
2	IPX6	ISO 20653:2013	See result	Pass

Note: Pass: Meet the requirements;

Fail: Does not meet the requirements;

/ : Not Apply to the judgment.

Original Sample Photo:







No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 3 of 6

1. Test Item: IP6KX

Sample Description: Connector Test Method: ISO 20653:2013

Test Condition:

Test Dust: Arizona Dust (A2)

Dust Concentration: 2 kg/m³ chamber volume and be kept in suspension during the test

Operation Method: 6 s movement of the air/dust mixture, 15 minutes break

Test Cycle: 20 cycles

Lab Environment Condition: 15°C~35°C,25%RH~75%RH

Test Result:

Sample No.	Result	Client's requirement	Conclusion
	There was no visual ingress of	There is no visual ingress of	
001	dust in the welding spot and	dust in the welding spot and	Pass
	inside of the screw sleeve	inside of the screw sleeve	

Test Photo:







No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 4 of 6





During Test

Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Sand and dust test chamber	SC-010	GZMR-RL-E070	2021-09-27	2022-09-26





No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 5 of 6

2. Test Item: IPX6

Sample Description: Connector Test Method: ISO 20653:2013

Test Condition:

Nozzle diameter: Φ12.5mm

Flow rate: 100 L/min Distance: 2.5m~3.0m Test duration: 3min

Test direction: The turntable rotates 360 degrees, and the water gun sprays from the upper,


horizontal and lower directions to ensure that the samples are sprayed in all directions.

Lab Environment Condition: 18°C ~ 28°C, 25%RH ~ 75%RH

Test Result:

Sample No.	Result	Client's requirement	Conclusion
	There was no visual ingress of	There is no visual ingress of	
001	dust in the welding spot and	dust in the welding spot and	Pass
	inside of the screw sleeve	inside of the screw sleeve	

Test Photo:







No.: NBIN2202001494PS

Date: Feb 25, 2022

Page: 6 of 6





After test- Interior

During test

Equipment Information:

Equipment	Model	Equipment No.	Calibration date	Next Calibration date
Waterproof tester	IPX1-7	GZMR-RL-E106	2022-01-14	2023-01-13

- All above tests were carried out by other SGS laboratory.
- The test report shall only be used for clients' scientific research, teaching, internal quality control, product research and development, etc... and just for internal reference.

****** End of report******

